Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5431	(174/255-260) ccls:	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 17:43
L2	6565	(428/200,206,209,210,901).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 17:44
L3	2008	(361/750,762,780,792=795).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18:17:44
L4	12533	123	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 17:44
L5	0	4 and (hybrid adj (power voltage))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 17:45
L6	1142	hybrid adj (power voltage)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 17:46
L7	0	(hybrid adj (power voltage)) adj plane\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 17:46
L8	28	6 and ((first adj core) cores)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:05
L9	1114	6 not 8	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 17:53
L10	10	9 and (multi\$1layer\$2 adj (circuit\$1 board\$1 substrate\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 17:54
L11	5	10 and core\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 18:01
L12	0	hybrid adj power adj plane\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 18:03
L13	1	((hybrid adj power) adj2 plane\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 18:05
L14	446	4 and ((first adj core) cores)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 18:47

L15	144	14 and ((power voltage reference) with signal\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:13
L16	1	(US-20050057908-\$).did.	US-PGPUB	OR	OFF	2006/06/18 18:52
L17	1	16 and core\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 18:52
L18	122	361/793.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:13
L19	76	18 and ceramic\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:15
L20	46	18 not 19	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:15
L21	32	20 and capacitor\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:16
L22	14	20 not 21	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:17
L23	377	361/794.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:18
L24	135	23 and ceramic\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:18
L25	82	24 and capacitor\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:20
L26	53	24 not 25	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:22
L27	242	23 not 24	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:23
L28	92	27 and capacitor\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:29
L29	150	27 not 28	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 21:34

		Г <u>.</u>		T	Γ	T
L30	57	(US-20050057908-\$ or	US-PGPUB;	OR	OFF	2006/06/18 21:34
		US-20040130877-\$ or	USPAT			
		US-20040108131-\$ or				
		US-20040060729-\$ or				
		US-20030147227-\$ or				
		US-20020166697-\$ or				
		US-20020159243-\$ or				
		US-20020139571-\$ or				
		US-20020139570-\$ or				
		US-20020136873-\$ or		ł		
		US-20020050402-\$ or		İ		
		US-20020009577-\$ or				
		US-20010052423-\$ or				
		US-20010032425-\$ or		ļ		
		US-20010040048-\$ 01 US-20010035299-\$ or		İ		
		•				
		US-20010035298-\$).did. or				
		(US-6642908-\$ or US-6501415-\$				
		or US-6972379-\$ or US-6944946-\$				
		or US-6852932-\$ or US-6820332-\$				
		or US-6764748-\$ or US-6739027-\$				
		or US-6722031-\$ or US-6720502-\$				
	:	or US-6717067-\$ or US-6613413-\$				
		or US-6528734-\$ or US-6459047-\$				
		or US-6333857-\$ or US-6239485-\$				
		or US-6236572-\$ or US-6214445-\$				
		or US-6098282-\$ or US-6096665-\$				
		or US-5926377-\$ or US-5912809-\$!
		or US-5876842-\$ or US-5774340-\$				
		or US-5640048-\$ or				
		US-5479703-\$).did. or				
		(US-5418690-\$ or US-5319244-\$				
		or US-5250347-\$ or US-5229550-\$				
		or US-5206074-\$ or US-5162977-\$				
		or US-5103293-\$ or US-5089880-\$				
		or US-5072075-\$ or US-4900878-\$				
		or US-4864722-\$ or US-4854038-\$				
		or US-6058022-\$ or US-6040985-\$				
		or US-6828514-\$).did.				
			ILIC DODUID	On	OFF	2000/00/10 22 24
L31	17	30 and ((high\$2 low\$2) adj	US-PGPUB;	OR	OFF	2006/06/18 22:24
		(dielectric adj constant\$1))	USPAT;			
			USOCR			
L32	2	30 and ((high\$2 low\$2) adj	US-PGPUB;	OR	OFF	2006/06/18 22:24
	_	permittivit\$3)	USPAT;		J	
		реплиния	USOCR			
grapher and						ngay - Santa Santa Santa Santa Santa Santa Santa Santa Santa Santa Santa Santa Santa Santa Santa Santa Santa S
L33	19	31 32	US-PGPUB;	OR	OFF	2006/06/18 21:36
			USPAT;			
			USOCR			
L34	3083	(29/830,846).ccls.	US-PGPUB;	OR	OFF	2006/06/18 22:02
57	2003	(29/000,070).003.	USPAT;		511	2000/00/10 22.02
			USOCR			
			USUCK			

L35	477	(156/89.12, 850).ccis.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:06
L36	3542	34:35	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18:22:03
L37	159	36 and ((first adj core) cores)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:07
L38	1011	(156/89.12,320).ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:06
L39	4074	34 38	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:06
L40	180	39 and ((first adj core) cores)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:11
L41	110	40 and (power ground signal)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:18
L42	70	40 not 41	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:16
L43	15854	4 39	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:18
L44	502	43 and @pd>="20051222"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:18
L45	118	44 and core\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:18
L46	74	45 and (power ground signal)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:19
L47	9	46 and ((high\$2 low\$2) adj (dielectric adj constant\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:30
L48	0	46 and ((high\$2 low\$2) adj permittivit\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:30
L49	44	45 not 46	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:25

6/18/06 10:31:54 PM Page 4

L50	7	49 and ((high\$2 low\$2) adj (dielectric adj constant\$1))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/18 22:30
L51	0	49 and ((high\$2 low\$2) adj permittivit\$3)	US-PGPUB; USPAT:	OR	OFF	2006/06/18 22:30
		7. 2	USOCR			